perske	R		tor checl		to Purchase order	
To CRP Industrial 35 Commerce Drive	Process		•			
Cranbury, NJ 08512			Fax:			
Tel. +1 609-578-4100)	Street				
Fax +1 609-578-4110)	Postal	code / city			
info@crpindustries.com www.crpperske.com		E-mail				
New motor						
Application	☐ Saw	ing ing	☐ Drilling☐ Grinding	☐ Stonew	ork 🗌 Direct d	
Ambient conditions	☐ Dry		☐ Wet			
Quantity	Туре		According	to catalogue page	Drawing no.:	
Regulation, rule	☐ DIN EN 6	0034-1 (VDE 0530-1)	☐ NEMA	☐ CSA	
Output			_ kW S1/S6-60%	☐ Special speed-	output characteristics (a	
Voltage	-		₩requency		_ H S peed	
Model	Position of terminal box					
Bearing arrangement	Single b	earing	☐ Double	☐ Double bearing		
A. 1. Shaft design	1					
According to diagram (attached)				☐ Collet	design Max. clamping	

ing no.: ☐ CSA characteristics (attached) Max. clamping diameter Ø _____ mm ☐ With saw flange Ø _____ mm Collet _____ Size ____ ☐ With key ☐ Without key ☐ cylindrical Key _____ Nut____ Diameter mm length mm without thread M _____ left ☐ Exterior thread size ☐ right ☐ Electromagnetic brake M _____ left ☐ Interior thread size ☐ right ☐ Wrench flat A. 2. Motor protection ☐ With thermistors ☐ With thermal contacts (bimetal break contact) □ PT 100 ☐ KTY Spare motor/Repeat order Quantity Type Same as serial no._____ Comments _____ Company stamp Date Enclosures _____ Contact: 1 (800) 526-4066 www.crpperske.com 63

☐ Direct drive